


LIA	ZONE	DESCRIPTION OF CHANGE
RELEASED Date 1799 A	A	REVISED AND REDRAWN



**B** 1. MARK AREA INDICATED WITH THE DATE CODE,  
TRACEABILITY CODE AND MANUFACTURER'S CODE (FEDERAL  
SUPPLY CODE FOR MANUFACTURERS) WITH PERMANENT INK  
(NON-CONDUCTIVE) OR IN COPPER ETC.


**FLAG NOTES**

16. LAYER TO LAYER MISREGISTRATION NOT TO EXCEED .005.
  15. ALL REFERENCED SPECIFICATIONS AND STANDARDS SHALL BE OF THE LATEST REVISION LEVEL OR AS SPECIFIED IN THE PROCUREMENT DOCUMENT. IN THE CASE OF CONFLICT, THE PROCUREMENT DOCUMENT SHALL TAKE PRECEDENCE
  14. MIL-P-55110 QUALITY ASSURANCE PROVISIONS APPLY.
  13. UNDIMENTIONED HOLES ARE LOCATED ON A .005 GRID.
  12. UNLESS OTHERWISE SPECIFIED IN HOLE LEGEND, ALL HOLES ARE PLATED THRU AND SHALL BE THE SPECIFIED DIAMETER AFTER PLATING.
  11. THIS DRAWING USED IN CONJUNCTION WITH SCHEMATIC SIG45114441.
  10. VENDOR SHALL PROVIDE PRINTED WIRING BOARD COUPONS AS INDICATED.
  9. ARTWORK DEPICTED ON THIS DRAWING IS FOR DOCUMENTATION ONLY.
  8. ARTWORKS DEPICTED ON THIS DRAWING ARE PHOTO POSITIVES UNLESS OTHERWISE SPECIFIED AND ARE VIEWED FROM COMPONENT SIDE.
  7. SOLDER MASK (GREEN) BOTH SIDES.
  6. SILKSCREEN WITH WHITE EPOXY INK PER MIL-I-43553. TYPE II (NON-CONDUCTIVE).
  5. TIN/LEAD PLATE INTERNAL CONDUCTIVE PATTERNS PER MIL-P-8172B.
  4. BOARD MATERIAL TO BE EPOXY FIBERGLASS PER MIL-P-13949/4 TYPE GF, WITH EPOXY PREPREG PER MIL-P-13949/12 TYPE GF. STARTING COPPER WEIGHT SHALL BE 2 OZ. FOR LAYERS 1 AND 8 . AND 1 OZ. FOR LAYERS 2 THRU 7. FINISH LAMINATE MATERIAL THICKNESS SHALL BE  $.062 \pm .006$
  3. FABRICATE PRINTED WIRING BOARD PER MIL-P-55110.
  2. ALL DIMENSIONS ARE IN INCHES
  1. INTERPRET PER EDS MANUAL JPG 8500 4.

NOTES: UNLESS OTHERWISE SPECIFIED

NOTES: UNLESS OTHERWISE SPECIFIED


A



8 7 6 5 4 3 2 1

RELEASED  
Date 17.99


LTR ZONE DESCRIPTION OF CHANGE  
SEE SHEET ONE



507

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |


CTR ZONE	DESCRIPTION OF CHANGE
	SEE SWEET ONE




WSEEEEN 150707B 2100Z (88) 2004P1144-01-195


DOC FILE #	DATE	DOC. REV. NO.	DOC. NO.
44402 4-00	D	21356	SDG45114440
LIBRARY:			
XPCAD\RELEASE\PCB		SCALE 2 / 1	ORG. EAS
		SHEET 1	1


508






510








512





513











471